


Pro Series

**SD031-30W**

Reflector

Technical Parameters:

Name	Parameters
Light source:	COB
Input Voltage:	AC220~240V 50/60Hz
LED Current:	700mA, 35-37V
Rated life:	>50,000 hours
Operating temperature:	-20°C~40°C
Storage temperature:	-30°C~60°C
Certificate:	CE/RoHS
Dimmability:	NON-Dimmable
Weight:	1.80KG




Ordering Information:

○ White ● Black


Power	CRI	Beam Angle	Luminous	CCT	Housing	Part Number	
20W	>80	▲ 12°	2830 lm	3000K	○	SD031-30W-830-W-12	
					●	SD031-30W-830-B-12	
			3030 lm	4000K	○	SD031-30W-840-W-12	
					●	SD031-30W-840-B-12	
			▲ 20°	2860 lm	3000K	○	SD031-30W-830-W-20
						●	SD031-30W-830-B-20
		3050 lm		4000K	○	SD031-30W-840-W-20	
					●	SD031-30W-840-B-20	
		▲ 45°		2740 lm	3000K	○	SD031-30W-830-W-45
						●	SD031-30W-830-B-45
			2920 lm	4000K	○	SD031-30W-840-W-45	
					●	SD031-30W-840-B-45	
	>90		▲ 12°	2590 lm	3000K	○	SD031-30W-930-W-12
						●	SD031-30W-930-B-12
		2690 lm		4000K	○	SD031-30W-940-W-12	
					●	SD031-30W-940-B-12	
		▲ 20°		2600 lm	3000K	○	SD031-30W-930-W-20
						●	SD031-30W-930-B-20
			2720 lm	4000K	○	SD031-30W-940-W-20	
					●	SD031-30W-940-B-20	
			▲ 45°	2480 lm	3000K	○	SD031-30W-930-W-45
						●	SD031-30W-930-B-45
		2600 lm		4000K	○	SD031-30W-940-W-45	
					●	SD031-30W-940-B-45	

Technical Data test pattern


CRI80 12°




3000K




4000K




CRI80 20°




3000K




4000K




CRI80 45°




3000K




4000K




CRI90 12°




3000K




4000K




CRI90 20°




3000K




4000K




CRI90 45°




3000K




4000K




Installation instruction



Packaging:



**Box**  
 L140\*W140\*H205mm  
 1pc/box  
 GW: 1.95kg/box



**Outer carton**  
 L730xW310xH220mm  
 10 pcs/CTN  
 GW: 21kg/carton

Product Nomenclature

**SD ( X ) XX X ( H ) = X = X XX = X - XX**

